

Search History 5/15/04 4:06:16 PM Page 1

- 36 DISFLUENS US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; US-PGPU	8:09 8:12 8:12
BPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; I	8:12 8:12 9:34
DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PGPUB;	8:12 8:12 9:34
- 30 DISFLUEN\$ AND SPEECH NEAR RECOGNITION USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; J	8:12 8:12 9:34
- 30 DISFLUEN\$ AND SPEECH NEAR RECOGNITION USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; D	8:12 8:12 9:34
US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DE	8:12 8:12 9:34
DISFLUEN\$ AND SPEECH NEAR RECOGNITION AND AD EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IEM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; USPĀT USPĀ	8:12 9:34
DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM	8:12 9:34
DISFLUEN\$ AND SPEECH NEAR RECOGNITION AND AD USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB;	8:12 9:34
AD<20001226 AD<20001226 DISFLUEN\$ AND SPEECH NEAR RECOGNITION AND AD<20001226 Speech near recognition and N-gram (speech near recognition and N-gram) and disfluen\$	8:12 9:34
DISFLUEN\$ AND SPEECH NEAR RECOGNITION AND AD EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EFO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EFO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; US	9:34
DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB;	9:34
DISFLUEN\$ AND SPEECH NEAR RECOGNITION AND AD	9:34
DISFLUEN\$ AND SPEECH NEAR RECOGNITION AND AD USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT;	9:34
AD<20001226 AD<20001226 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; US-PGPUB; US-PGPUB;	9:34
293 speech near recognition and N-gram 8 (speech near recognition and N-gram) and disfluen\$ 294 (speech near recognition and N-gram) and disfluen\$ 2 ((speech near recognition and N-gram) and disfluen\$) and first near language near 2004/05/06 09 2004/05/06 09 2004/05/06 09	
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB;	
speech near recognition and N-gram (speech near recognition and N-gram) and disfluen\$ (speech near recognition and N-gram) and disfluen\$ ((speech near recognition and N-gram) and disfluen\$) and first near language near (uspāT; us-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; US-PGPUB; US-PGPUB;	
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; US-PGPUB;	
8 (speech near recognition and N-gram) and disfluen\$ 2 ((speech near recognition and N-gram) and disfluen\$) 2 ((speech near recognition and N-gram) and disfluen\$) and first near language near EPO; JPO; DERWENT; IBM_TDB US-PGPUB; DERWENT; DERWE	9:29
S (speech near recognition and N-gram) and USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; USPGPUB;	ð:29
8 (speech near recognition and N-gram) and USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; US-PGPUB;	9:29
8 (speech near recognition and N-gram) and USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT;	9:29
disfluen\$ Control Con	9:29
EPO; JPO; DERWENT; IBM TDB ((speech near recognition and N-gram) and USPAT; disfluen\$) and first near language near US-PGPUB;	
DERWENT; IBM TDB ((speech near recognition and N-gram) and USPAT; disfluen\$) and first near language near US-PGPUB;	
- 2 ((speech near recognition and N-gram) and USPAT; 2004/05/06 09 disfluen\$) and first near language near US-PGPUB;	
2 ((speech near recognition and N-gram) and USPAT; 2004/05/06 09 disfluen\$) and first near language near US-PGPUB;	
disfluen\$) and first near language near US-PGPUB;	3:30
model EPO; JPO;	
DERWENT;	
IBM_TDB	
1 1 1 1 2004700700 05):31
disfluen\$) and language near model US-PGPUB; EPO; JPO;	
DERWENT;	
IBM TDB	
- 143 (voice or speech) near recognition and USPAT; 2004/05/06 09	3:35
N-gram and language near model and US-PGPUB;	
acoustic and (probability or score or EPO; JPO;	
confidence) DERWENT;	
99 (voice or speech) near recognition and USPAT: 2004/05/06 09	
1 1 1 2001/05/00 05):36
N-gram and language near model and US-PGPUB; acoustic and (probability or score or EPO; JPO;	
confidence) and (@prad<20001226 or DERWENT;	
@ad<20001226) IBM TDB	
- 67 (voice or speech) near recognition and USPAT; 2004/05/06 09	3:37
N-gram and language near model and US-PGPUB;	
acoustic near model and (probability or EPO; JPO;	
score or confidence) and (@prad<20001226 DERWENT;	
or @ad<20001226) (voice or speech) near recognition and USPAT; 2004/05/06 09	1. 22
1 (voice or speech) near recognition and USPAT; 2004/05/06 09 N-gram and language near model and US-PGPUB;	1:37
acoustic near model and (probability or EPO; JPO;	
score or confidence) and (@prad<20001226 DERWENT;	
or @ad<20001226) and disfluen\$ IBM TDB	
1 704/240 and (voice or speech) near USPAT; 2004/05/06 09	3:38
recognition and N-gram and language near US-PGPUB;	
model and acoustic near model and EPO; JPO;	
(probability or score or confidence) and DERWENT;	
(@prad<20001226 or @ad<20001226) and IBM_TDB disfluen\$	
	1.20
- U 704/257 and (voice or speech) near USPAT; 2004/05/06 09 recognition and N-gram and language near US-PGPUB;	. 38
model and acoustic near model and EPO; JPO;	
(probability or score or confidence) and DERWENT;	
(@prad<20001226 or @ad<20001226) and IBM_TDB	
disfluen\$	

-	0	704/243 and (voice or speech) near	USPAT;	2004/05/06 09:38
		recognition and N-gram and language near model and acoustic near model and	US-PGPUB; EPO; JPO;	
		(probability or score or confidence) and	DERWENT;	
		(@prad<20001226 or @ad<20001226) and	IBM TDB	
		disfluen\$	_	
-	1	704/ and (voice or speech) near	USPAT;	2004/05/06 09:39
		recognition and N-gram and language near model and acoustic near model and	US-PGPUB; EPO; JPO;	
		(probability or score or confidence) and	DERWENT;	
		(@prad<20001226 or @ad<20001226) and	IBM TDB	
		disfluen\$	_	
-	66	704/ and (voice or speech) near	USPAT;	2004/05/06 10:35
ľ		recognition and N-gram and language near	US-PGPUB;	
		model and acoustic near model and (probability or score or confidence) and	EPO; JPO; DERWENT;	
		(@prad<20001226 or @ad<20001226)	IBM TDB	
-	33	704/257 and (voice or speech) near	USPAT;	2004/05/06 09:41
		recognition and N-gram and language near	US-PGPUB;	
		model and acoustic near model and	EPO; JPO;	
		(probability or score or confidence) and	DERWENT;	
_	2	(@prad<20001226 or @ad<20001226) 704/257 and (voice or speech) near	IBM_TDB USPAT;	2004/05/06 09:44
		recognition and N-gram and first near	US-PGPUB;	2004,00,00 09.44
	1	language near model and acoustic near	EPO; JPO;	
	1	model and (probability or score or	DERWENT;	
	1	confidence) and (@prad<20001226 or	IBM_TDB	
_	2	@ad<20001226) 6385579.URPN.	USPAT	2004/05/06 09:43
-	33	1	USPAT;	2004/05/06 09:43
		recognition and N-gram and language near	US-PGPUB;	
		model and acoustic near model and	EPO; JPO;	
		(probability or score or confidence) and	DERWENT;	
_	36	(@prad<20001226 or @ad<20001226) disfluen\$	IBM_TDB	2004/05/06 10:10
-	30	disting	USPAT; US-PGPUB;	2004/05/06 10:10
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	3	704/ and (voice or speech) near recognition and N-gram and first near	USPAT;	2004/05/06 12:07
		language near model and second near	US-PGPUB; EPO; JPO;	
		language near model and acoustic near	DERWENT;	
		model and (probability or score or	IBM_TDB	
		confidence) and (@prad<20001226 or		
_	0	@ad<20001226) 6542866.URPN.	USPAT	2004/05/06 10:37
_	10	("5506933" "5515475" "5555344"	USPAT	2004/05/06 10:37
		"5617509" "5680509" "5758027"		
		"5764853" "5865626" "6067515"		
_		"6278970").PN.	HODAM	2004/05/25 12 22
-	. 0	704/ and (voice or speech) near recognition and N-gram and language near	USPAT; US-PGPUB;	2004/05/06 12:08
		model and second near language near model	EPO; JPO;	
		and acoustic near model and (probability	DERWENT;	
		or score or confidence) and	IBM_TDB	
		(@prad<20001226 or @ad<20001226) and		
l _	0	non-fluen\$ 704/ and (voice or speech) near	IICDATT.	2004/05/06 12:08
		recognition and N-gram and language near	USPAT; US-PGPUB;	2004/03/06 12:08
		model and second near language near model	EPO; JPO;	
		and acoustic near model and (probability	DERWENT;	
		or score or confidence) and	IBM_TDB	
		(@prad<20001226 or @ad<20001226) and	1	
-	0	nonfluen\$ 704/ and (voice or speech) near	USPAT;	2004/05/06 12:08
		recognition and N-gram and language near	US-PGPUB;	2004/03/00 12:00
		model and second near language near model	EPO; JPO;	
		and acoustic near model and (probability	DERWENT;	
		or score or confidence) and	IBM_TDB	
		(@prad<20001226 or @ad<20001226) and nonfluent		
	l			

_	0	704/ and (voice or speech) near recognition and N-gram and language near model and second near language near model and acoustic near model and (probability or score or confidence) and (@prad<20001226 or @ad<20001226) and fluent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 12:08
	9		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 12:18
_	36		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 12:15
-	1551	continuous and noncontinuous	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 12:15
_	0	(continuous and noncontinuous) near speech	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 12:16
_	1939	(continuous or noncontinuous) near speech	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 12:16
_	1128	(continuous or noncontinuous) near speech near recognition	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 12:16
-	1128	(continuous) near speech near recognition	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 12:16
-	0	(continuous) near speech near recognition and noncontinuous near speech near recognition	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 12:17
-	1824	language near model	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 12:17
-	367	language near model and continuous near speech	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 12:17
-	121	language near model and continuous near speech and dictionary	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 12:18
-	67	language near model and continuous near speech and dictionary and acoustic near model	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 12:18

		•		
_	58	language near model and continuous near speech and dictionary and acoustic near model and (@prad<20001226 or @ad<20001226)	USPAT; US-PGPUB; EPO; JPO;	2004/05/06 14:59
			DERWENT;	
-	15	language near model and word near prediction and (@prad<20001226 or @ad<20001226)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/06 15:21
	,	6274017 (IPP)	IBM_TDB	
-	4	6374217.URPN. language near model and word near prediction and "um" and (@prad<20001226 or @ad<20001226)	USPAT USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/06 15:02 2004/05/06 15:23
-	14	disfluencies and (@prad<20001226 or @ad<20001226)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/06 15:28
_	0	nondisfluencies and (@prad<20001226 or @ad<20001226)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/06 15:28
-	0	non-disfluencies and (@prad<20001226 or @ad<20001226)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/06 15:28
-	1	non-disfluency and (@prad<20001226 or @ad<20001226)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/06 15:29
ļ -	53940	(@prad<20001226 or @ad<20001226) and nishimura	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/06 15:30
-	47	(@prad<20001226 or @ad<20001226) and nishimura near masafumi	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/06 15:36
-	10	(@prad<20001226 or @ad<20001226) and Itoh near nobuyasu	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/07 09:31
_	1	noise-corrected near likelihood	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/07 09:32
_	1	noise-likelihood	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/07 09:32
_	261	noise near likelihood	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/07 09:33
-	0	noise near likelihood and confidence and speech near recognition	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/07 09:33
L			IBM_TDB	

-	11	noise near likelihood and speech near recognition	USPAT; US-PGPUB;	2004/05/07 09:38
			EPO; JPO; DERWENT; IBM TDB	
- '	27	noise near likelihood and speech	USPĀT; US-PGPUB;	2004/05/07 09:41
			EPO; JPO; DERWENT; IBM TDB	
_	130787	noise-corrected likelihood	USPĀT; US-PGPUB;	2004/05/07 09:41
			EPO; JPO; DERWENT; IBM_TDB	
-	1	noise-corrected near likelihood	USPĀT; US-PGPUB; EPO; JPO;	2004/05/07 09:41
_	47	noise-corrected	DERWENT; IBM_TDB USPAT;	2004/05/07 09:41
	1,	noise corrected	US-PGPUB; EPO; JPO;	2004/03/07/03.41
_	3	noise-corrected and speech near	DERWENT; IBM_TDB USPAT;	2004/05/07 09:41
		recognition	US-PGPUB; EPO; JPO; DERWENT;	
_	46	oov and speech near recognition	IBM_TDB USPAT; US-PGPUB;	2004/05/11 13:57
			EPO; JPO; DERWENT; IBM TDB	
_	27	oov and speech near recognition and (@prad<20001226 or @ad<20001226)	USPAT; US-PGPUB; EPO; JPO;	2004/05/11 14:05
		6577997.URPN.	DERWENT; IBM_TDB	2004/05/11 14.01
-	1	oov and speech near recognition and (@prad<20001226 or @ad<20001226) and	USPAT; USPAT; US-PGPUB;	2004/05/11 14:01 2004/05/11 14:12
		disflue\$	EPO; JPO; DERWENT; IBM_TDB	
-	1	6314399.URPN.	USPAT	2004/05/11 14:08
-	0 4	6694296.URPN. ("5865626" "5995928" "6064959" "6314399" "2002/0138265").PN.	USPAT USPAT	2004/05/11 14:11 2004/05/11 14:11
-	0	oov and speech near recognition and (@prad<20001226 or @ad<20001226) and disflue\$ and multiple near languaguage	USPAT; US-PGPUB; EPO; JPO;	2004/05/11 14:12
	n	near model oov and speech near recognition and	DERWENT; IBM_TDB USPAT;	2004/05/11 14:13
		(@prad<20001226 or @ad<20001226) and multiple near languaguage near model	US-PGPUB; EPO; JPO; DERWENT;	2004/00/11 14:13
_	0	oov and speech near recognition and (@prad<20001226 or @ad<20001226) and	IBM_TDB USPAT; US-PGPUB;	2004/05/11 14:13
		multiple near language near model	EPO; JPO; DERWENT; IBM TDB	
-	0	oov and speech near recognition and (@prad<20001226 or @ad<20001226) and multiple near language	USPAT; US-PGPUB; EPO; JPO;	2004/05/11 14:13
			DERWENT; IBM TDB	

-	0	oov and speech near recognition and	USPAT;	2004/05/11 14:13
		(@prad<20001226 or @ad<20001226) and	US-PGPUB;	
		multiple near5 language	EPO; JPO;	
			DERWENT;	
		and and ansale assume the second	IBM_TDB	0004/05/04
_	0	and	USPAT;	2004/05/11 14:14
		(@prad<20001226 or @ad<20001226) and	US-PGPUB;	
		multiple near5 llangauge	EPO; JPO;	
			DERWENT;	
	0		IBM_TDB	
-	١	oov and speech near recognition and	USPAT;	2004/05/11 14:14
		(@prad<20001226 or @ad<20001226) and multiple near5 langauge	US-PGPUB;	
	İ	multiple hears language	EPO; JPO; DERWENT;	
			IBM TDB	
_	10	oov and speech near recognition and	USPAT;	2004/05/11 14:15
1		(@prad<20001226 or @ad<20001226) and	US-PGPUB;	2004/03/11 14:13
		language near model	EPO; JPO;	
		Language model	DERWENT;	
			IBM TDB	
-	l 0	oov and speech near recognition and	USPAT;	2004/05/11 14:15
		(@prad<20001226 or @ad<20001226) and	US-PGPUB;	2004/03/11 14:13
		language near model and "um"	EPO; JPO;	
			DERWENT;	
			IBM TDB	!
-	0	oov and speech near recognition and	USPĀT;	2004/05/11 14:15
		(@prad<20001226 or @ad<20001226) and	US-PGPUB;	
		language near model and "uh"	EPO; JPO;	!
1			DERWENT;	1
	1		IBM TDB	
-	0	oov and speech near recognition and	USPAT;	2004/05/11 14:15
		(@prad<20001226 or @ad<20001226) and "uh"	US-PGPUB;	<u> </u>
			EPO; JPO;	į į
	İ		DERWENT;	
			IBM_TDB	
-	0	oov and (@prad<20001226 or @ad<20001226)	USPAT;	2004/05/11 14:16
		and "uh"	US-PGPUB;	
			EPO; JPO;	İ
			DERWENT;	
_	41	one and (Annada00001006 a.e. 0. 1400001006)	IBM_TDB	
	41	oov and (@prad<20001226 or @ad<20001226)	USPAT;	2004/05/11 14:16
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
-	23154862	"uh" or "uhm"and (@prad<20001226 or	USPAT;	2004/05/11 14:17
		@ad<20001226)	US-PGPUB;	2003/03/11 14:1/
-		· · · · · · · · · · · · · · · · · · ·	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	3855	"uh" or "uhm" and (@prad<20001226 or	USPAT;	2004/05/11 14:17
1		@ad<20001226)	US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
			IBM TDB	
-	2669	"uh" or "uhm" and (@prad<20001226 or	USPAT;	2004/05/11 14:17
		@ad<20001226) and speech near recognition	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2661	"uh" or "uhm" and (@prad<20001226 or	USPAT;	2004/05/11 14:17
		@ad<20001226) and speech near recognition	US-PGPUB;	
		and language near model	EPO; JPO;	
			DERWENT;	
_	11	/!!ub!! on !!ubm!!) ==== /0===== <00001000	IBM_TDB	0004/07/11
-	11	("uh" or "uhm") and (@prad<20001226 or	USPAT;	2004/05/11 14:25
		<pre>@ad<20001226) and speech near recognition and language near model</pre>	US-PGPUB;	
]		and ranguage hear model	EPO; JPO;	
			DERWENT;	
L	L		IBM TDB	L

-	2	("uh" or "uhm") and (@prad<20001226 or	USPAT;	2004/05/11 14:30
-		@ad<20001226) and acoustic and first near	US-PGPUB;	
		storage	EPO; JPO;	
1			DERWENT; IBM TDB	
l _	0	20010021909.URPN.	USPAT	2004/05/11 14:30
_	55	(@prad<20001226 or @ad<20001226) and	USPAT;	2004/05/11 14:31
		acoustic and (first or second) near	US-PGPUB;	
		storage and probability	EPO; JPO;	1
			DERWENT;	
	2.6	/0 1,00001006 0 1,000010061	IBM_TDB	
-	36	(@prad<20001226 or @ad<20001226) and acoustic and first near storage and second	USPAT;	2004/05/11 14:31
		near storage and probability	US-PGPUB; EPO; JPO;	
		near scorage and probability	DERWENT;	
			IBM TDB	1
-	36		USPAT;	2004/05/11 14:32
		acoustic and first near storage and second	US-PGPUB;	
		near storage and probability	EPO; JPO;	
			DERWENT;	
_	12	(Aprad<20001226 or And<20001226) and	IBM_TDB	2004/05/12 10:27
	12	(@prad<20001226 or @ad<20001226) and acoustic and first near language near	USPAT; US-PGPUB;	2004/05/12 10:37
		model and second near language near model	EPO; JPO;	
		and probability	DERWENT;	
			IBM_TDB	
-	30	(@prad<20001226 or @ad<20001226) and	USPĀT;	2004/05/11 15:04
		acoustic and first near language and	US-PGPUB;	
		second near language and probability	EPO; JPO;	
			DERWENT; IBM TDB	
_	1	(@prad<20001226 or @ad<20001226) and	USPAT;	2004/05/11 15:41
		acoustic and first near language near	US-PGPUB;	2001, 00, 11 15.11
		model and second near language near model	EPO; JPO;	
		and probability and disfluency	DERWENT;	
	_		IBM_TDB	0004/05/00 00 00
-	0	customizable near email near option	USPAT; US-PGPUB;	2004/05/12 10:37
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1	customizable near5 email near5 option	USPAT;	2004/05/12 10:38
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
-	0	customizable near5 email near5 receive	USPAT;	2004/05/12 10:39
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	0	customizable near5 email and alias near5	IBM_TDB	2004/05/10 10:20
		receive	USPAT; US-PGPUB;	2004/05/12 10:39
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	occount, mound oment and arrab mound	USPĀT;	2004/05/12 10:39
		receive	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	1	email and alias near5 receive near5 list	USPAT;	2004/05/12 10:40
			US-PGPUB;	
	i		EPO; JPO;	
			DERWENT;	
_	274	email and sort and receive near5 list	IBM_TDB	2004/05/12 10:40
	2/4	email and solt and leceive Hears list	USPAT; US-PGPUB;	2004/05/12 10:40
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	46	email and sort and receive near5 list and alias	USPAT; US-PGPUB; EPO; JPO;	2004/05/12 10:41
			DERWENT; IBM TDB	
-	46	email and sort and receive near5 list and alias and custo\$	USPAT; US-PGPUB; EPO; JPO;	2004/05/12 10:41
-	29	email and sort and receive near5 list and alias and custo\$ and recipient	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/05/12 10:41
-	46	email and sort and receive near5 list and alias and custo\$ and (recipient or	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/05/12 10:42
		address\$)	EPO; JPO; DERWENT; IBM TDB	
-	1	email and sort and receive near5 list and alias and custo\$ and (recipient or address\$) and (@prad<20010228 and @ad<20010228)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/12 10:47
-	6	email and sort and list and alias and custo\$ and (recipient or address\$) and (@prad<20010228 and @ad<20010228)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/12 10:49
-	68049	(email or e-mail or electronic adj mail).ti	IBM_TDB USPAT; US-PGPUB;	2004/05/12 10:50
-	13501	(email or e-mail or electronic adj mail).ti.	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/12 10:56
-	1750	((email or e-mail or electronic adj mail).ti.) and (recipient or addressee)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/12 10:50
_	240	<pre>(((email or e-mail or electronic adj mail).ti.) and (recipient or addressee)) and sort\$</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/12 10:51
_	132	<pre>((((email or e-mail or electronic adj mail).ti.) and (recipient or addressee)) and sort\$) and (@prad<20010228 or @ad<20010228)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/12 10:51
-	39	(((((email or e-mail or electronic adj mail).ti.) and (recipient or addressee)) and sort\$) and (@prad<20010228 or @ad<20010228)) and display near5 list	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/12 10:53
-	56	<pre>(((((email or e-mail or electronic adj mail).ti.) and (recipient or addressee)) and sort\$) and (@prad<20010228 or @ad<20010228)) and display\$ near5 list\$</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/12 10:54
-	0	<pre>((((((email or e-mail or electronic adj mail).ti.) and (recipient or addressee))</pre>	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/05/12 10:55
		<pre>and sort\$) and (@prad<20010228 or @ad<20010228)) and display\$ near5 list\$) and primary adj address\$</pre>	EPO; JPO; DERWENT; IBM TDB	

-	0	((((((email or e-mail or electronic adj	USPAT;	2004/05/12 10:55
		mail).ti.) and (recipient or addressee))	US-PGPUB;	
		and sort\$) and (@prad<20010228 or	EPO; JPO;	
		@ad<20010228)) and display\$ near5 list\$)	DERWENT;	1
		and primary adj addressee	IBM TDB	1
_	0		USPĀT;	2004/05/12 10:55
		mail).ti.) and (recipient or addressee))	US-PGPUB;	2004/05/12 10.55
		and sort\$) and (@prad<20010228 or	EPO; JPO;	
		@ad<20010228)) and display\$ near5 list\$)	DERWENT;	
			· ·	
	0	and primary near recipient	IBM_TDB	0004/05/10 10 56
-		(((((USPAT;	2004/05/12 10:56
		mail).ti.) and (recipient or addressee))	US-PGPUB;	
-		and sort\$) and (@prad<20010228 or	EPO; JPO;	
İ		@ad<20010228)) and display\$ near5 list\$)	DERWENT;	
1		and primary near5 recipient	IBM_TDB	
-	52	· · · · · · · · · · · · · · · · · · ·	USPAT;	2004/05/12 10:56
		mail).ti.) and (recipient or addressee))	US-PGPUB;	
		and sort\$) and (@prad<20010228 or	EPO; JPO;	
		@ad<20010228)) and display\$ near5 list\$)	DERWENT;	
1		and recipient	IBM TDB	İ
-	23	(email or e-mail or electronic adj	USPAT;	2004/05/12 10:57
		mail).ti. and primary adj (recipient or	US-PGPUB;	
		addressee)	EPO; JPO;	
		·	DERWENT;	
			IBM TDB	
_	11	(email or e-mail or electronic adj	USPAT;	2004/05/12 11:02
		mail).ti. and primary adj (recipient or	US-PGPUB;	2004/05/12 11.02
		addressee) and (@prad<20010228 or	1	
		@ad<20010228)	EPO; JPO;	
		ead\20010226)	DERWENT;	
	_	-4	IBM_TDB	0004/05/10 11 00
-	0	siu and manhung	USPAT;	2004/05/12 11:02
			US-PGPUB;	
			EPO; JPO;	ĺ
			DERWENT;	
			IBM_TDB	
-	437	ostendorf	USPAT;	2004/05/12 11:02
	İ		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	9	ostendorf and mari	USPĀT;	2004/05/12 11:02
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	8	ostendorf near mari	USPAT;	2004/05/12 11:02
		Joseph Mari	US-PGPUB;	2004/03/12 11:02
			EPO; JPO;	
			DERWENT;	
_	19	5839105.URPN.	IBM_TDB	0004/05/10 11 10
	1 0		USPAT	2004/05/12 11:10
1 _		5839105.URPN. and word near prediction	USPAT	2004/05/12 11:11
-	2094	word near (prediction or sequence)	USPAT	2004/05/12 11:11
-	l o	word near (prediction or sequence) and	USPAT	2004/05/12 11:12
	_	train\$ near10 disfuen\$		l
-	0	word near (prediction or sequence) and	USPAT	2004/05/12 11:12
		train\$ near10 disfluen\$		
-	0	word near (prediction or sequence) and	USPAT	2004/05/12 11:12
		train\$ near disfluency		[
-	0	word near (prediction or sequence) and	USPAT	2004/05/12 11:13
		train near disfluency		
-	321	word near (prediction or sequence) and	USPAT	2004/05/12 11:13
		train		
-	0	train\$ near10 disfluency	USPAT	2004/05/12 11:14
-	Ö	train\$ near20 disfluency	USPAT	2004/05/12 11:14
-	Ö	trained near20 dis-fluency	USPAT	2004/05/12 11:14
-	4	disfluency	USPAT	2004/05/12 11:14
-	4	disfluency or dis-fluency	USPAT	2004/05/12 11:15
L		, and the desired	ODENI	[5004 \ 00 \ 15 II: 10

-	10	disfluency or dis-fluency	USPAT; US-PGPUB;	2004/05/12 11:21
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-		6125345.URPN.	USPAT	2004/05/12 11:17
_	36	first near language near model	USPAT;	2004/05/12 11:21
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	32		USPAT;	2004/05/12 11:24
		near language near model	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	23154298	first near language near model and second	USPAT;	2004/05/12 11:24
		near language near model (@prad<20001226	US-PGPUB;	
		or @ad<20001226)	EPO; JPO; DERWENT;	
	ĺ		IBM TDB	
-	21	first near language near model and second	USPAT;	2004/05/12 11:38
		near language near model and	US-PGPUB;	
		(@prad<20001226 or @ad<20001226)	EPO; JPO;	
			DERWENT; IBM TDB	
-	0	first near language near model and second	USPAT;	2004/05/12 11:39
		near language near model and garbage near	US-PGPUB;	
		words and (@prad<20001226 or @ad<20001226)	EPO; JPO;	
			DERWENT;	
-	3	language near model and garbage near words	USPAT;	2004/05/12 13:33
		and (@prad<20001226 or @ad<20001226)	US-PGPUB;	, ,
			EPO; JPO;	
			DERWENT; IBM TDB	
_	0	20020116193.URPN.	USPAT	2004/05/12 11:47
-	1	6484136.URPN.	USPAT	2004/05/12 11:48
-	14	("5426583" "5444617" "5510981"	USPAT	2004/05/12 11:49
		"5659765" "5664058" "5768603" "5897616" "5907821" "5950157"		
		"6088669" "6161083" "6163769"		
1		"6182038" "6253179").PN.		
-	0	20020116193.URPN.	USPAT	2004/05/12 13:32
-	4	language near model and garbage near5 words and (@prad<20001226 or @ad<20001226)	USPAT; US-PGPUB;	2004/05/12 13:35
		"STAD and (Spidal20001220 Of Sad(20001220)	EPO; JPO;	
1			DERWENT;	
	_		IBM_TDB	0004/05/10 55 55
-	7	language near model and garbage near5 model and (@prad<20001226 or @ad<20001226)	USPAT; US-PGPUB;	2004/05/12 13:45
		and (opted to out 20001220)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	75	garbage near5 model and (@prad<20001226 or @ad<20001226)	USPĀT; US-PGPUB;	2004/05/12 13:46
		02 (44.20001220)	EPO; JPO;	
			DERWENT;	
	F .		IBM_TDB	0000/05/55 55 55
-	53	garbage near model and (@prad<20001226 or @ad<20001226)	USPAT; US-PGPUB;	2004/05/12 13:46
		(44.20001220)	EPO; JPO;	
			DERWENT;	
	-	1015654 ***	IBM_TDB	
_	0 281	1215654.URPN. third near probability	USPAT	2004/05/12 14:20
	201	curra near bropapiticy	USPAT; US-PGPUB;	2004/05/14 13:10
			EPO; JPO;	
			DERWENT;	
	L		IBM_TDB	

Third near probability near calculator			_	_	
EPO: JPO: DERWENT: IBM TDB USPAT: US-PGPUB; EPO: JPO: DERWENT: I	-	1	third near probability near calculator	USPAT;	2004/05/14 13:11
DERMENT; IBM TOB USPAT; USPERUMENT; IBM TOB USPAT; U				US-PGPUB;	
TIM TDB USPAT: USPAC: USPAT: USPAC: USPAT: USPAC: USPAT:				EPO; JPO;	
Third near probability and speech near processing				DERWENT;	
Processing					
Processing	-	5	third near probability and speech near	USPAT;	2004/05/14 13:11
17			processing	US-PGPUB;	
17					
17				DERWENT;	
Tecognition				IBM TDB	
- 7 fourth near probability and speech near recognition	-	17	third near probability and speech near	USPAT;	2004/05/14 13:16
- 7 fourth near probability and speech near recognition			recognition	US-PGPUB;	
Tem_TDB				EPO; JPO;	
Tourth near probability and speech near recognition				DERWENT;	
recognition recognition US-PGPUB; EPO; JPO; DEFEMENT; IEM TDB USPAT; US-PGPUB; EPO; JPO; DEFEMENT; IEM TDB USPAT; US-PGPUB; EPO; JPO; DEFEMENT; IEM TDB USPAT; US-PGPUB; EPO; JPO; DEFEMENT; IEM TDB USPAT; US-PGPUB; EPO; JPO; DEFEMENT; IEM TDB USPAT; US-PGPUB; EPO; JPO; DEFEMENT; IEM TDB USPAT; US-PGPUB; EPO; JPO; DEFEMENT; IEM TDB USPAT; US-PGPUB; EPO; JPO; DEFEMENT; IEM TDB USPAT; US-PGPUB; EPO; JPO; DEFEMENT; IEM TDB USPAT; US-PGPUB; EPO; JPO; DEFEMENT; IEM TDB USPAT; IEM TDB				IBM TDB	
Tourth near probability and disfluency	-	7	fourth near probability and speech near	USPAT;	2004/05/14 13:25
- 1 fourth near probability and disfluency DERMENT; IBM TDB USPAT; US-PGPUB; EPC; JPC; DERWENT; US-PGPUB; EPC; JPC; DERWENT; US-PGPU			recognition	US-PGPUB;	
Tourth near probability and disfluency				EPO; JPO;	
1 fourth near probability and disfluency				DERWENT;	
- 0 fourth near probability and garbage near model				IBM TDB	
- 0 fourth near probability and garbage near model	-	1	fourth near probability and disfluency	USPAT;	2004/05/14 13:26
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;				US-PGPUB;	
TBM_TDB COMPANY COMP				EPO; JPO;	
- 0 fourth near probability and garbage near model				DERWENT;	ł
model				IBM TDB	
model	-	0	fourth near probability and garbage near	USPAT;	2004/05/14 13:26
September Sept			model	US-PGPUB;	
- 39 probability and garbage near model USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;					
- 39 probability and garbage near model USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;				DERWENT;	1
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;				IBM TDB	1
- 35 probability and garbage near model and speech near recognition	-	39	probability and garbage near model		2004/05/14 13:26
DERWENT; IBM_TDB USPAT; US-PGPUB; EFO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EFO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EFO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EFO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EFO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EFO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EFO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EFO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EFO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EFO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EFO; JPO; DERWENT;				US-PGPUB;	
TBM_TDB				EPO; JPO;	
- 35 probability and garbage near model and speech near recognition				DERWENT;	
Speech near recognition US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; EPO; JPO; DERWENT;				IBM TDB	
Speech near recognition US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; near recognition US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO; JPO; DERWENT;	-	35	probability and garbage near model and	USPĀT;	2004/05/14 13:27
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;				US-PGPUB;	
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;				EPO; JPO;	
- 4 probability and disfluency and speech near recognition					
near recognition				IBM TDB	
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT;	_	4	processing and arbitation and specen		2004/05/14 13:27
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;			near recognition	US-PGPUB;	
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; DERWENT;					
- 1 09/803748 USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;				IBM TDB	
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	-	1	09/803748	USPAT;	2004/05/15 13:00
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;					
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;					
- 1 09/832131 USPĀT; 2004/05/15 13:00 USPĀT; US-PGPUB; EPO; JPO; DERWENT;					
US-PGPUB; EPO; JPO; DERWENT;				IBM TDB	
US-PGPUB; EPO; JPO; DERWENT;	-	1	09/832131	USPĀT;	2004/05/15 13:00
DERWENT;				US-PGPUB;	
DERWENT;				EPO; JPO;	
IBM TDB					
				1	